

Used with builder's lines for marking out positions or aligning brickwork etc.

BACK









4

1 FEBRUARY - 31 MARCH 2024 · ALL PRICES INCLUDE GST · WHILE STOCKS LAST



BACK TO WORK · BACK TO WORK 2224

1 FEBRUARY - 31 MARCH 2024 · ALL PRICES INCLUDE GST · WHILE STOCKS LAST

TRIDON >

5







hammers and dollies used for professional panel repairs

Dual Drive Podgers 32 tooth ratchet

- Designed and manufactured specifically for heavy duty and
- industrial use where extra leverage, size and strength is required
- Featuring a tapered end design for easy bolt hole alignment and either a ring, ratchet or dual drive opposing end
- Designed for scaffolding and steel work applications

Part No.	Square Drive	Depth	Length	PRICE
321020	1/4" x 3/8"	34mm	280mm	\$75.95
321021	3/8" x 1/2"	42mm	315mm	\$85.95
321023	3/4″ x 1″	65mm	450mm	\$147.95

Hammers

Part No: 313055 -.95 \$1

Panel Beating Hammer

- **Straight Pein & Finishing Hammer**
 - Hickory timber handles (octagonal shape) and polished forged induction hardened heads
- Face 1: Round 40mm
- Face 2: Straight pein
- Length: 330mm

Part No: 313315 .95

Aluminium Hammer 140z

- Hickory timber handles (octagonal shape) and
- polished forged induction hardened heads For fine bodywork adjustment or striking finely finished surfaces
- Head length: 150mm
- Head size: Ø30mm
- Overall length: 310mm

Part No: 301082 .95 •

Dead Blow Hammer

- 54oz (1.5kg) 375mm
- Featuring hollowed cylindrical heads containing steel pellets offering a dead blow and significant impact with the rise and fall of the hammer
- Non sparking and marring
- Shockless and non-bound
- Face diameter: 65mm
- Face length: 130mm

Part No: 321055 .95

Curved Claw Hammer

Centre Cut 200mm

TRIDON

The unique ergonomically design handle prevents the hammer from slipping out of the users hand while striking



Flaring Tool Kit Master

- Create single, double lap and bubble flares on copper, brass, mild steel and aluminium tubing in metric and imperial sizes
- Flaring adaptors: 4.75, 6, 8, 10mm & 3/16", 1/4", 5/16", 3/8", 1/2"



- Fits five different cavity configurations and popular vehicles
- Operated with 3/8" square drive ratchet







Abrasive Holder 170mm

- Polished wooden handle
- Spring retaining clips hold abrasive paper firmly
- Surface size: 70 x 200mm

While Stocks Last!



PDR Line Board Flex Dia: 800mm

- Visual aid for professional paintless dent repairs
- Portable and folds out in seconds
- Folds from 800mm to 300mm



- Floating jaw assembly enables easy removal of caliper from disc while retaining the gauge reading
- Robust aluminium construction



210mm

 Reliable crimper, cutter and stripper for versatile use Suitable for insulated and non insulated terminals





Cut Type

Second Cut

Bastard Cut

Smooth Cut

Length

250mm

250mm

300mm

Size

21 x 24

12 x 17

13 x 19

19 x 24

27 x 32

24 x 27

36 x 41

30 x 32

18 x 24

24 x 30

Roun

Flat

Cabinet

Cut Type


Second Cut

Second Cut

Second Cut

BACK TO WORK · BACK TO WORK 霓 -2 -2 22


1 FEBRUARY - 31 MARCH 2024 · ALL PRICES INCLUDE GST · WHILE STOCKS LAST





Features shock absorbing blade return bumper and belt clip
2.5 metre stand out

8



.


•

.

.

.

•



Professional Circlip Plier SetsPark No.Uppe(by part number)*Park Plice• Solid style forged with non-silp solid tips • Popular circlip pliers for internal and external circlips • Tool roll made of hard wearing polyester fabric01956W014 Piece44111J, 44111J2, 44114, 4211J1, 44211J1, 42112J1, 42112J1, 421141, 42112J1, 421141, 42112J1, 421141, 421142J, 42114J, 42114J, 42114J, 421142J, 42114J, 41114J, 4114J, 4
 Solid style forged with non-slip solid tips Popular circlip pliers for internal and external circlips O1958W1 B Piece 41111, 41112, 4421 J11, 4421 J21, 4621 A11, 4621 A21 \$385.95 \$385.95 High Leverage Combination Pliers O20200 Sybe less effort required than with conventional combiniton pliers Sifty less effort fat and round material, for versatile use Effortless cutting, powerful gripping, bending and pulling Part No. Handles Length Capacity mm PRICE 02020 Comfort 200 2.8 2.2 \$61.00 0201225 Plastic 225 3.0 2.5 \$69.95 020220 Comfort 200 2.8 2.2 \$71.00 0202225 Comfort 225 3.0 2.5 \$84.00 0202225 Comfort 225 Comfort 225 3.0 2.5 \$84.00 0202225 Comfort 225 Comfor
 Propular circle pilers for internal and external circles wires wires
Autor with conventional combination pliers9 53% less effort required than with conventional combination pliers9 51% less effort required than with conventional and pliers9 51% less effort required than with conventional and pliers9 51% less effort required than with conventional and precision9 51% less effort required than with conventional and precision9 51% less effort required than with conventional and precision9 51% less effort required than witho
Autor with conventional combination pliers9 53% less effort required than with conventional combination pliers9 51% less effort required than with conventional and pliers9 51% less effort required than with conventional and pliers9 51% less effort required than with conventional and precision9 51% less effort required than with conventional and precision9 51% less effort required than with conventional and precision9 51% less effort required than witho
 Styless effort required than with conventional combination pliers Gripping zones for flat and round material, for versatile use Effortless cutting, powerful gripping, bending and pulling Anato Karlow Ka
 35% less effort required than with conventional combination pliers Gripping zones for flat and round material, for versatile use Effortless cutting, powerful gripping, bending and pulling Part No. Handles Length And Yanan PRICE Hard Plano Q 201 200 Plastic 200 2.8 2.2 \$61.00 Q 201 225 Plastic 225 3.0 2.5 \$69.95 Q 202 225 Comfort 225 3.0 2.5 \$84.00 Q 206 200 1000V VDE 200 2.8 2.2 \$96.95 Part No: 86 03 400 Part No: 86 03 400 Grant No: 86 03 400 Comfort 200 2.8 2.2 \$96.95 Comfort 200
Part No. Handles Length mm Capacity mm Hard PRICE 02 01 200 Plastic 200 2.8 2.2 \$61.00 02 01 220 Plastic 200 2.8 2.2 \$69.95 02 02 220 Comfort 200 2.8 2.2 \$71.00 02 02 220 Comfort 200 2.8 2.2 \$71.00 02 02 2225 Comfort 200 2.8 2.2 \$96.95 Part No: 86 03 400 \$3 6 01.000 VDE 200 2.8 2.2 \$96.95 Part No: 86 03 400 \$3 6 01.000 Comfort 200 2.8 2.2 \$96.95
Part No. Handles mm Hand Plano Pkice 02 01 200 Plastic 200 2.8 2.2 \$61.00 02 01 225 Plastic 225 3.0 2.5 \$69.95 02 02 220 Comfort 200 2.8 2.2 \$71.00 02 02 225 Comfort 225 3.0 2.5 \$84.00 02 06 200 1000V VDE 200 2.8 2.2 \$96.95 Part No: 92 69 84 \$7.00 Plastic Tweezers 9 and the sensure optimum safe handling and precision
02 01 200 Plastic 200 2.8 2.2 \$61.00 02 01 225 Plastic 225 3.0 2.5 \$69.95 02 02 220 Comfort 200 2.8 2.2 \$71.00 02 02 225 Comfort 225 3.0 2.5 \$84.00 02 06 200 1000V VDE 200 2.8 2.2 \$96.95 Plastic Tweezers Plastic Tweezers Plastic Tweezers Over the standard moving small objects, such as fine tissues, small items or solid samples
02 02 200 Comfort 200 2.8 2.2 \$71.00 02 02 225 Comfort 225 3.0 2.5 \$84.00 02 06 200 1000V VDE 200 2.8 2.2 \$96.95 Part No: 86 03 400 \$3611.00 Image: Colspan="3">Image: Colspan="3">Colspan="3">Colspan="3">Colspan="3">Colspan="3">Colspan="3">Colspan="3">Colspan="3">Colspan="3">Colspan="3">Colspan="3">Colspan="3">Colspan="3">Colspan="3">Colspan="3"Colspan="3">Colspan="3"Colspan="3"Colspan="3"Colspan="3">Colspan="3"Col
02 02 225Comfort2253.02.5\$84.0002 06 2001000V VDE2002.82.2\$96.95Plastic TweezersI deal for gripping, holding and moving small objects, such as fine tissues, small items or solid samples• Grooved handles ensure optimum safe handling and precision
Part No: 86 03 400 \$361.00 Bigs of the second seco
 Part No: 86 03 400 \$361.00 Ideal for gripping, holding and moving small objects, such as fine tissues, small items or solid samples Grooved handles ensure optimum safe handling and precision
 Pliers Wrench XL 400mm Replaces a whole set of spanners - both metric and imperial Smooth jaws for damage free installation of plated fittings Capacity: 85mm Adjustment Positions: 25
 Cuts bolts, nails, rivets, etc. up to 5.6 mm dia. 60% less effort required compared to conventional high-leverage diagonal cutters * 71 131 250 with recess in blade to cut thicker wires Gripping surfaces below joint to pull wires
diagonal cutter for all-round use High-quality material and precise workmanship Precision cutting edges for soft and hard wire Part No. Handles Capacity mm PRICE
Narrow head style for use in confined areas 71 01 250 Plastic 5.6 4.0 3.8 \$141.95
Part No. Length mm Handles Cutting Capacity mm PRICE Soft Med Hard Hard Hard
Part No. Length mm Handles Soft Med Hard Hard PRICE Part No: 16 20 165
Part No. Length Handles Soft Med Hard Hard PRICE Part No: 16 20 165
Part No. Length mm Handles Soft Med Hard Hard PRICE 7001 180 180 Plastic 4.0 3.0 2.5 \$58.95 7002 180 180 Comfort 4.0 3.0 2.5 \$71.00
Part No. Length mm Handles Soft Med Hard Hard PRICE 7001 180 180 Plastic 4.0 3.0 2.5 \$58.95 7002 180 180 Comfort 4.0 3.0 2.5 \$71.00 7006 180 180 1000V 4.0 3.0 2.5 \$94.00 Dismantling Tool • Stripping all common round cables Ø8.0-28.0mm
Part No. Length mm Handles Soft Med Hard Hard PRICE 7001 180 180 Plastic 4.0 3.0 2.5 \$58.95 7002 180 180 Comfort 4.0 3.0 2.5 \$71.00 7006 180 180 1000V 4.0 3.0 2.5 \$94.00 KNIPEX Assembly Set
Part No. Length mm Handles Soft Med Hard Hard PRICE 7001 180 180 Plastic 4.0 3.0 2.5 \$58.95 7002 180 180 Comfort 4.0 3.0 2.5 \$71.00 7006 180 180 1000V 4.0 3.0 2.5 \$94.00 KNIPEX Assembly Set
Part No. Length mm Handles Soft Med Hard PRICE 7001 180 180 Plastic 4.0 3.0 2.5 \$58.95 7002 180 180 Comfort 4.0 3.0 2.5 \$71.00 7006 180 180 1000V 4.0 3.0 2.5 \$94.00 KNIPEX Assembly Set Part No: 00 20 11 Self-tightening holding lever Adjusting screw for cutting depth adjustment 9 20 20 20 11 Self-tightening holding lever Adjusting screw for cutting depth adjustment 9 20 20 20 11 Self-tightening holding lever Adjusting screw for cutting depth adjustment 9 20 20 20 11 Self-tightening holding lever Adjusting screw for cutting depth adjustment 9 20 20 20 11 Self-tightening holding lever Adjusting screw for cutting depth adjustment 9 20 20 20 11 Self-tightening holding lever Adjusting screw for cutting depth adjustment 9 20 20 20 20 20 20 20 20 20 20 20 20 20
Part No. Length mm Handles Soft Med Hard PRICE 7001 180 180 Plastic 4.0 3.0 2.5 \$58.95 7002 180 180 Comfort 4.0 3.0 2.5 \$71.00 7006 180 180 1000V 4.0 3.0 2.5 \$94.00 KNIPEX Assembly Set Part No: 00 20 11 Safe C C : 00 Safe C C : 00 Safe C C : 00
Part No. Length mm Handles Soft Med Hard Hard PRICE 7001 180 180 Plastic 4.0 3.0 2.5 \$58.95 7002 180 180 Comfort 4.0 3.0 2.5 \$71.00 7006 180 180 1000V 4.0 3.0 2.5 \$94.00 KNIPEX Assembly Set Dismantling Tool 9art No: 00 20 11 \$1280 5.00 Stipping all common round cables Ø8.0-28.0mm Self-tightening holding lever • Adjusting screw for cutting depth adjustment • Turnable blade for circular and longitudinal cutting • Three important pairs of pliers for installation work • 03 02 180 Combination Pliers Ison mm • Mipe K NexStrip
Part No. Length mm Handles Soft Med Hard PRICE 7001 180 180 Plastic 4.0 3.0 2.5 \$58.95 7002 180 180 Comfort 4.0 3.0 2.5 \$71.00 7006 180 180 1000V 4.0 3.0 2.5 \$94.00 KNIPEX Assembly Set Dismantling Tool 9 art No: 00 20 11 \$12000000000000000000000000000000000000
Part No. Length mm Handles Soft Med Hard PRICE 7001 180 180 Plastic 4.0 3.0 2.5 \$58.95 7002 180 180 comfort 4.0 3.0 2.5 \$571.00 7006 180 180 1000V 4.0 3.0 2.5 \$94.00 KINIPEX Assembly Set Dismantling Tool 9 art No: 00 20 11 \$160 comfort 4.0 3.0 2.5 \$94.00 Part No: 00 20 11 * 180 5 • 00 20 11 \$160 comfort • 00 20 11 \$160 comfort • 00 20 11 \$160 comfort • 00 20 11 • 00 comfort • 00 c
Part No. Length mm Handles Soft Med Hard Hard PRICE 7001 180 180 Plastic 4.0 3.0 2.5 \$58.95 7002 180 180 Comfort 4.0 3.0 2.5 \$71.00 7006 180 180 1000V 4.0 3.0 2.5 \$94.00 KINIPEX Assembly Set Dart No: 002011 Stripping all common round cables Ø8.0-28.0mm 9 art No: 002011 \$1000V 4.0 3.0 2.5 \$94.00 Part No: 002011 \$1000V \$100
Part No. Length mm Handles Soft Med Hard Hard PRICE 7001 180 180 Plastic 4.0 3.0 2.5 \$\$58.95 7002 180 180 Comfort 4.0 3.0 2.5 \$\$71.00 7006 180 180 Comfort 4.0 3.0 2.5 \$\$71.00 7006 180 180 1000V 4.0 3.0 2.5 \$\$94.00 KNIPEX Assembly Set Dismantling Tool Stripping all common round cables Ø8.0-28.0mm Output tool Output tool Part No: 00 20 11 *108 180 Comfort 4.0 Stripping all common round cables Ø8.0-28.0mm 0 • Three important pairs of pliers for installation work So 2180 Combination Pliers 0 Mit Comfort grip handles 0 Stripping and crimping 0
Part No. Length mm Handles Soft Med Hard Hard PRICE 7001 180 180 Plastic 4.0 3.0 2.5 \$\$58.95 7002 180 180 comfort 4.0 3.0 2.5 \$\$71.00 7006 180 180 1000V 4.0 3.0 2.5 \$\$71.00 7006 180 180 1000V 4.0 3.0 2.5 \$\$94.00 KNIPEX Assembly Set Part No: 00 20 11 \$\$100000 20 20 180 Combination Pliers 180mm 03 02 180 Combination Pliers Comfort grip handles 9 302 180 Combination Pliers Comfort grip handles Supplied in deep-drawn tray 9 Col 160 Diagonal Cutters 1000000000000000000000000000000000000

10 TRIDON

TO WORK

BACK







Parallel Pin Punch Set XXL 5 Piece Contents: 8, 10, 12, 14 and 16mm XXL pin punches with

- hand grips
- Heat treated for the perfect balance of hardness, strength ٠ and durability



-7.95



Seal Scraper 260mm

- Suitable removing old seals and gaskets from metal surfaces •
- . Slim, ergonomic shape with wooden handle •
 - Made in Germany





fabric wallet

A RENNSTEIG





12 TRIDON

1 FEBRUARY - 31 MARCH 2024 · ALL PRICES INCLUDE GST · WHILE STOCKS LAST

Each tool can be used for metric and inch plus damaged nuts and bolts!





Belt Strap Wrenches

- Nylon and Rubber
- Rubber lined nylon strap for use on sensitive surfaces like

HITBTW6G

- stainless steel, coated, coloured and chrome pipes Must have tool for all plumbing work
- One piece forged construction I-Beam handle and head

Part No.	Handle Length mm	Belt Length mm	Belt Width mm	Capacity mm	PRICE
HITBTW3G	300	400	30	15-75	\$83. 5 0
HITBTW6G	300	700	30	15-165	\$109.50





Swaging/Crimping Tools 600mm

• Designed for swaging / crimping copper or aluminium swages Produces a tight, clean compression of copper and aluminium

Part No.	Description	Crimping Capacity mm	PRICE
HITCT600/5	Swaging/Crimping	1.5, 2.5, 3, 4 and 5mm	\$188 .00
HITCT600/5C	Swaging/Crimping & Wire Rope Cutter	1.5, 2.5, 3, 4 and 5mm	\$226.9 5



Lightweight and easy to use

		for precise angle cuts
Length mm	Cutting Capacity mm	Weight kg
200	42	0.35

Includes cutting guide

Pocket Cutters





MET-1399

Square Drive

3/8'

MET-1387

PRICE

\$10.50



Concrete Mesh Cutter 800mm

- Specially designed for cutting extra hard steel concrete mesh Comfortable rubber handles ensure a firm and safe grip
- Easy access into restricted spaces

	Length	Cutting Capacity			
	mm	High Tensile 162kg/mm	Soft Metal 49.6kg/mm ²		
l	800	8	10		



.....

WORK · BACK TO WORK

· BACK TO

WORK

0

· BACK

· BACK TO WORK

TO WORK

· BACK

WORK

0

BACK

WORK

0 F







4	TRIDON	

032200

Large commerical,

industrial & agricultura

90-175

165

\$123.95

BACK 14



rubber pads to ensure items are held in place

without damage

enables convenient

Max. opening: 100mm

Rotary function

fork access

BS4326



Part No: BS9145

.95



TRIDON >

15

BACK TO WORK · BACK TO WORK

bench top use

Suitable for multi carburetor balancing

BACK TO WORK · BACK TO WORK · BACK TO WORK · BACK TO WORK · BACK TO WORK



BACK TO WORK · BACK TO WORK

0671-23. Prices valid 1 February to 31 March 2024. Prices include GST. Please refer to the relevant Tridon catalogues for more comprehensive product information As participating stores are independant businesses, they reserve the right to set their own selling prices. Pricing throughout this publication is the recommended trade price and may vary from store to store. Every effort has been made to ensure stocks are available at the time of printing. Should any item not be in stock on placement of orders, stores will endeavour to procure those published items. Product images are for illustration purposes only. Produced by Tridon Australia Pty Ltd ACN 001 398 698 ABN 90 001 398 698

